Subject: CIRCULAR. 2017-26

موضوع: بخشنامه ۲۲ -۲۰۱۷

Amendment to CH.8 of High Speed Craft اصلاحیه الزامات مقررات فصل هشتم آیین نامه بین المللی CODE(HSC-CODE)

شماره: ۲۲/۹٦/۰۰ شماره تاریخ: ۱۳۹٦/۰۷/۲٦

Number: 32/96/0064 Date: 18.10.2017

All respectful ICS' Surveyors With gratitude

According to MSC.1/Circ.1569, the subjected circular has been sent for your kind information. These amendments are expected to enter into force on 1 January 2020.

The electronic file of this document could be found at the following address:

||server|ICS Organization|Convention and Legislation Department\Publications\circ\2017-26

Also this Electronic File will be sent via email to all respectful ICS Customers and Surveyors.

A.M. Rezvan panah Manager of Convention & Legislation Department Iranian Classification Society

(ICS)

Disclaimer: Although all possible efforts have been made to ensure correctness and completeness of the information and guides contained in this technical information, the Iranian classification society is not responsible for any errors ,damages ,penalties or emissions made herein, nor held for any actions taken by any party as a result of information retrieved from this technical information.

کلیه بازرسان محترم ICS

با سلام و احترام

با توجه به ابلاغ بخشنامه MSC.1/Circ.1569، بدينوسيله بخشنامه موضوعی جهت بهره برداری حضورتان ایفاد می گردد. انتظار مي رودبخشنامه مذكور از تاريخ 01.01.2020 لازم الأجراشود.

نسخه الکترونیکی بخشنامهی مذکور در شبکه داخلی موسسه با آدرس ذیل قابل دسترسی میباشد:

|| || server | ICS Organization | Convention and Legislation department\Publications\circ\2017-26

همچنین نسخه الکترونیکی این سند از طریق پست الکترونیکی به کلیه مشتریان و بازرسان محترم موسسه ارسال می گردد.

> رضوان يناه مدير واحد كنوانسيونها، قوانين و مقررات مؤسسه رده بندی ایرانیان

ترک دعوی: اگرچه در گرداوری کلیه راهنماهای فنی ارائه شده تو بندی ایرانیان ،تا حد ممکن تلاش در دفت و صحت محتوا صورت گرفته است،این موسسه متحمل مسئولیتی در قبال هرگونه اشتباهات ،خسارت های احتمالی و جرانمی که ممکن آست در ارتباط با بکار گیری مفاهیم و مطالب ارانه شده رخ


Code: ICS32F016/2

Page 1 of 6

1499/V/YF : Ex

98/ JO/YV. DV :015

وزارت راه وشيرسازي مانمان مادودما نوردي



20194

ور به فورى

موسسه رده بندی آسیا موسسه رده بندی ایرانیان موسسه رده بندی KR موسسه رده بندی LR موسسه رده بندی NKK موسسه رده بندی BV موسسه رده بندی DNV-GL موسسه رده بندی CCS موسسه رده بندی IRS موسسه رده بندیPRS موسسه رده بندی RINA

موضوع: ابلاغ بخشنامه شماره 1569.MSC/Circ در خصوص اصلاحیه شناور نجات و قایق جستجو و نجات شناورهای تندرو

باسلام

باتوجه به ابلاغ بخشنامه شماره MSC/Circ.1569 كميته ايمنى دريانوردى سازمان بين المللي دريانوردي (تصویر پیوست) به آگاهی می رساند اصلاحات بخشنامه های MSC.423(98) و MSC.424(98) مربوط به الزامات مقررات فصل هشتم آيين نامه بين المللي شناورهاي تندرو CH.8/8.10.5/ (1994,2000) رازامات مقررات فصل هشتم 8.10.6 & با محوریت موضوع اصلاحیه شناور نجات و قایق جستجو و نجات شناورهای تندرو در تاریخ 16-7 Jun2017 مورد پذیرش کمیته مذکور قرار گرفته و از تاریخ 1 January 2020 لازم الاجرا خواهد بود.

ابراهيم حسن پورمير

رییس ادارهٔ ثِبِتِ کشتیها و صدور گواهینامه های دریانوردی

رونوشت: - مدیرکل محترم امور دریایی جهت استحضار. - اداره کل امور دریانوردان و سازمانهای تخصصی و آمون بین الملی بازگشت به نامه شماره 4/21837پ مورخ 96/64 جهت استحضار - ادارات و قسمتهای بازرسی و ثبت شناورهای کلیه بنادر (هرمزگان، بوشهر، خرمشهر سیلستان و بلوچستان، گیلان و مازندران) جهت آگاهی - اداره ثبت کشتیها و صدور گواهینامه های دریانوردی جهت اطلاع

آ درس: میدان ونگرند کراه مقا ون قداز جهار راه جهان کودکن ازتهای خیابان شهیدی





4 ALBERT EMBANKMENT LONDON SE1 7SR

Telephone: +44 (0)20 7735 7611 Fax: +44 (0)20 7587 3210

MSC.1/Circ.1569 15 June 2017

NOTIFICATION OF AMENDMENTS TO THE 1994 and 2000 HSC CODES

- The Maritime Safety Committee, at its ninety-eighth session (7 to 16 June 2017), adopted, by resolutions MSC.423(98) and MSC.424(98), the amendments to the International Code of Safety for High-Speed Craft, 1994 (1994 HSC Code), and the International Code of Safety for High-Speed Craft, 2000 (2000 HSC Code), respectively, as set out in annexes 1 and 2.
- In view of the above amendments which are expected to enter into force on 1 January 2020, Member States are invited to take action, as appropriate, pending the formal entry into force.
- 3 Member States are invited to bring the above information to the attention of all parties concerned.
- 4 This circular will remain effective until 1 January 2020.



ANNEX 1

AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR HIGH-SPEED CRAFT, 1994 (1994 HSC CODE)

Chapter 8 Life-saving appliances and arrangements

8.10 Survival craft and rescue boats

- 1 Paragraphs 8.10.1.5 and 8.10.1.6 are replaced with the following:
 - ".5 notwithstanding the provision of .4 above, craft should carry sufficient rescue boats to ensure that, in providing for abandonment by the total number of persons the craft is certified to carry:
 - .5.1 not more than nine of the liferafts provided in accordance with 8.10.1.1 are marshalled by each rescue boat; or
 - .5.2 if the Administration is satisfied that the rescue boats are capable of towing a pair of such liferafts simultaneously, not more than 12 of the liferafts provided in accordance with 8.10.1.1 are marshalled by each rescue boat; and
 - .5.3 the craft can be evacuated within the time specified in 4.8.
 - .6 craft of less than 20 m in length may be exempted from carrying a rescue boat, provided the craft meets all of the following requirements:
 - .6.1 the craft is arranged to allow a helpless person to be recovered from the water in a horizontal or near-horizontal body position;
 - .6.2 recovery of the helpless person can be observed from the navigating bridge; and
 - .6.3 the craft is sufficiently manoeuvrable to close in and recover persons in the worst intended conditions."

MSC.1/Circ.1569 Annex 2, page 1

ANNEX 2

File-setting abbitations and arrangements

8.10 Survival craft and rescue boats

- 1 Paragraphs 8.10.1.5 and 8.10.1.6 are replaced with the following:
 - ".5 notwithstanding the provision of .4 above, craft shall carry sufficient rescue boats to ensure that, in providing for abandonment by the total number of persons the craft is certified to carry:
 - .5.1 not more than nine of the liferafts provided in accordance with 8.10.1.1 are marshalled by each rescue boat; or
 - 5.2 if the Administration is satisfied that the rescue boats are capable of towing a pair of such liferafts simultaneously, not more than 12 of the liferafts provided in accordance with 8.10.1.1 are marshalled by each rescue boat; and
 - .5.3 the craft can be evacuated within the time specified in 4.8.
 - .6 craft of less than 30 m in length may be exempted from carrying a rescue boat, provided the craft meets all of the following requirements:
 - .6.1 the craft is arranged to allow a helpless person to be recovered from the water in a horizontal or near-horizontal body position;
 - .6.2 recovery of the helpless person can be observed from the navigating bridge; and
 - .6.3 the craft is sufficiently manoeuvrable to close in and recover persons in the worst intended conditions."

I:\CIRC\MSC\01\MSC.1-CIRC.1569.docx